

Case 3: Maternal obstetric paralysis

A common abnormality after a difficult calving, especially in a heifer. It is caused by pressure on nerves, and manifests itself as weakness, paresthesia in one hindleg, or difficulty or inability to rise.

Therapist: Lone Sorensen

Clinic: Undiano 525

8000 Bahia Blanca

Argentina

Treatment period: January 1999 – Feb 1999

Patient: Mia Mendez

Age: 3 weeks

Gender: Female

Nationality: Argentina

Occupation: ---

Symptoms: Maternal obstetric paralysis

Mia was 3 weeks old when I saw her first time. She was born with maternal obstetric paralysis. Her parents came to the first treatment in the beginning of January 1999 in Bahia Blanca, Argentina. Mia was very healthy and she had no others problems but she was very weak and she did not had a normal body weight.

Mia was crying day and night, she was very hungry and stressed. She had difficult to eat and she could not move the right side of her mouth.

Treatment 1

During the first treatment I treated Mia with Facial Reflexology, the 7 basic steps. Then I did Neuro-foot Reflexology. During both treatments I analysed areas in the face for the cranial nerves, brain areas and the biggest deposit.

I found the biggest deposit in the stomach area / deposit 3

I found the area for the pharyngeal nerve with deposit / deposit 3

With this information I did a treatment plan organized for treating the stomach/ spleen meridian, balancing with the areas corresponding to stomach and spleen areas in step 3 of the basic Facial Reflexology and balancing with NP acupoints for stomach and Spleen between step 6 and 7. The pharyngeal nerve planed to treat with Wong combination/ acupoints specific for this nerve. I included in my plan to use the muscles / area 1 og Dr. Catillo Morales muscles stimulation.

Treatment 2

Mia came to the 2.nd treatment two days after.

After the first treatment Mia was able to move the right side of her mouth a little bit. She was still crying. It was still difficult for her to eat.

Facial Reflexology step 1, 2 and 3

Balancing of Np points

Wong combination for the pharyngeal nerve

Step 7 of the basic Facial Reflexology

Neuro Foot Reflexology – spinal cord area and special for cervical nerves.

The mother learned to treat Mia at home on the areas for the pharyngeal nerve on the face and the area for cervical nerves on the foot.

Treatment 3

2 days after 2.nd treatment.

Mia was able to move the right side of her mouth very much more. It was not so difficult to eat now.

Mia was crying less and she had a good sleep one full night for first time in her Life. The parents the same!

The treatment was the same as 2.nd time.

The mother continues to treat the same areas at home.

Treatment 4, 5, 6

For every treatment Mia was better and better.

The treatment was same as in the 2nd treatment, with 3 and 4 days between each treatment.

Treatment 7

One week after treatment 6.

Mia had no paralysed anymore. She was able to eat without any difficult, she slept, raised her weight and totally perfect.

Treatment 7 to 10

Once at week- just in case.....

Lone Sorensen

International Institute of Facial Reflexology